



Release Notes – Zebra Android 11

11-29-18.00-RG-U00-STD-HEL-04 Release (GMS)

Highlights

This Android 11 GMS release 11-29-18.00-RG-U00-STD-HEL-04 covers CC600, CC6000, EC30, EC50, EC55, ET51, ET56, L10A, MC2200, MC2700, MC3300x, MC3300xR, MC9300, PS20, TC21, TC21 HC, TC26, TC26 HC, TC52, TC52 HC, TC52x, TC52x HC, TC57, TC57x, TC72, TC77, TC8300, VC8300 & WT6300 family of products.

LifeGuard patches are sequential and include all previous fixes that are part of earlier patch releases.

Please see, device compatibility under Addendum Section for more details.

Software Packages

Package Name	Description
HE_FULL_UPDATE_11-29-18.00-RG-U00-STD-HEL-04.zip	Full package update
HE_DELTA_UPDATE_11-26-05.00-RG-U05-STD_TO_11-29-18.00-RG-U00-STD.zip	Delta package from previous release 11-26-05.00-RG-U05-STD (Applicable except PS20)
HE_DELTA_UPDATE_11-27-14.00-RG-U01-STD_TO_11-29-18.00-RG-U00-STD.zip	Delta package from previous release 11-27-14.00-RG-U01-STD (Applicable only for PS20)

Security Updates

This build is Compliant up to [Android Security Bulletin](#) of November 05, 2022

LifeGuard Update 11-29-18.00-RG-U00

- This LG patch is applicable for 11-26-05.00-RG-U05-STD-HEL-04 BSP version (Applicable except PS20).
- This LG patch is applicable for 11-27-14.00-RG-U01-STD-HEL-04 BSP version (Applicable only for PS20).

○ New Features

- Added root detection service support for SD660 A11.
- Added new MX feature accessibility' to reduced settings feature.
- Added new MX feature to support of "Do not validate" option for CA certificate
- Added new MX feature Host Mode Peripherals: Controls whether to allow all USB peripherals to be used when the device is in USB Host Mode or to restrict usage to peripherals as defined in Rules created by the administrator using the Custom Rules parameter.

- Added new MX feature to support TouchService to allow EMM to configure Haptic Feedback on device.
- RXlogger : Meminfo support in RxLoggerUtility.
- RXlogger : The ability to configure log path for all RxLogger modules is now enabled.
- Oeminfo : Added support for querying SIM EID.
- SKT WWAN certification completed in South Korea.
- MTN WWAN certification completed in South Africa.
- Added allow Battery-Swap with Legic accessory is connected to TC7X in BatteryManager.
- TC7x Legic accessory support and On attaching device NFC will be disabled.
- Added support for new digitizer in L10 device.
- Added Timed Continuous Trigger Mode on all products
- Enabled BT Trigger Remap Feature for MC93 Galactus
- Added OCR Wedge features - Phase-3 (Container mode, performance optimization)
 - o Added new OCR Wedge version "7.0.0"
 - o OCR Wedge features - Tire Size and Commercial Tire ID support
 - o OCR Wedge features Phase 3 - Localization support for features added in Phase 3
 - o OCR Wedge - Localization support for extended TIN features parameters
- Added LED Feedback and Hardware Beep feedback support for OCR Wedge features
- Expose Country for OCR Wedge License Plate feature.
- Added support for "Zebra USB Scanner" and "Zebra USB Cradle" for TC21/TC26
- Released New Firmware – "CAAFZS00-001-R00" for SE965 Scan Engine

o Resolved Issues

- SPR46809 – Resolved an issue in Datawedge wherein OCR functionality was not working failing unless text was rotated at 180 degrees
- SPR46513 --Resolved an issue in Datawedge wherein Enter key char was not being sent
- SPR46061 -- Resolved an issue in Datawedge wherein invoking GetConfig API was resulting in exception
- SPR45277 -- Resolved an issue wherein noise and cracking sound was observed on EC55 during voice calls in SWB
- SPR45016 -- Resolved an issue wherein disabling status bar via MX was not hiding/blocking the status bar completely when used with full screen Apps.
- SPR46530 – Resolved an issue in AppMgr wherein Installing an App using AppMgr Upgrade option was failing in 11.20.18 build onwards
- SPR47289 – Resolved an issue in KeyRemapping wherein Diamond key was not persisting across reboot
- SPR46586 -- Resolved an issue wherein user was unable to set EHS as default launcher using Stage Now
- SPR46771 – Resolved an issue wherein launching Battery Manager App though intent was not working.
- SPR46244 – Resolved an issue wherein soft navigation panel keys were less responsive
- SPR47350 – Resolved an issue wherein Velocity App updated via play store was getting deleted post an OS update on a device enrolled with MS INTUNE
- SPR47301/SPR46016 -- Resolved an issue wherein USB connection would not work post suspend and resume when RFD40 was connected to the device
- SPR46991/SPR47343 -- Resolved an issue wherein NFC functionality was impacted on WT6300 after updating to Lifeguard that included an updated NFC firmware.

- **Usage Notes**

- L10A devices with new display ZBR_R47 and digitizer(ro.config.device.digitizer=1) require 11-29-18.00-RG-U00-STD-HEL-04 or higher to ensure full Digitizer functionality.
 - To identify display type, users can check 'ro.config.device.display' property using getprop command from adb.
 - Devices with new display ZBR_R47 will have [ro.config.device.display]: [513]
 - To identify digitizer device type, users can check 'ro.config.device.digitizer' property using getprop command from adb.
 - Devices with digitizer will have [ro.config.device.digitizer]: [1]
 - Devices with without digitizer will have [ro.config.device.digitizer]: [0]
 - User can identify the digitizer firmware version from settings.
 - Settings -> About Phone -> SW components -> Digitizer FW Version 2140
 - 2140 is new Digitizer value.

LifeGuard Update 11-27-14.00-RG-U01 (Applicable only for PS20)

- LifeGuard Update 11-27-14.00-RG-U01 contains security updates only.
- This LG Delta Update package is applicable for 11-27-14.00-RG-U00-STD-HEL-04 BSP version.

- **New Features**

- None

- **Resolved Issues**

- None

- **Usage Notes**

- None

LifeGuard Update 11-26-05.00-RG-U05 (Applicable except PS20)

- LifeGuard Update 11-26-05.00-RG-U05 contains security updates only.
- This LG patch is applicable for 11-26-05.00-RG-U04-STD-HEL-04 BSP version.

- **New Features**

- None

- **Resolved Issues**

- None

- **Usage Notes**

- None

LifeGuard Update 11-26-05.00-RG-U04

- LifeGuard Update 11-26-05.00-RG-U04 contains security updates only.
- This LG patch is applicable for 11-26-05.00-RG-U02-STD-HEL-04 BSP version.
 - **New Features**
 - None
 - **Resolved Issues**
 - None
 - **Usage Notes**
 - None

LifeGuard Update 11-26-05.00-RG-U02

- LifeGuard Update 11-26-05.00-RG-U02 contains security updates only.
- This LG patch is applicable for 11-26-05.00-RG-U00-STD-HEL-04 BSP version.
 - **New Features**
 - None
 - **Resolved Issues**
 - None
 - **Usage Notes**
 - None

LifeGuard Update 11-26-05.00-RG-U00

- This LG patch is applicable for 11-23-13.00-RG-U07-STD-HEL-04 BSP version.
 - **New Features**
 - TMO (USA) WWAN certification completed.
 - DCM Regulatory country approval received.
 - PAAFNS00-001-R04 firmware is integrated for SE5500 Scan Engine in Datawedge.
 - Added New Workflow for Document Capture with Border highlighting/document fill in Datawedge.
 - Added fix for image capture where preview is inverted on MC9300 SE4850 scan engine in Datawedge.
 - Added localization support for Workflow input parameters in Datawedge.

- Supported languages - German, French, Spanish, Italian, Traditional Chinese, Simplified Chinese and Japanese.
- Added support for “Zebra USB Cradle” (USB cradle w/ Bluetooth Scanner) in Datawedge.
- Added support for scanning using new Workstation cradles for the USB scanners and USB cradles in Datawedge.
- Added support for TWT in Fusion for uses cases that have infrequent/intermittent traffic. It is not Enabled Out of Box and can be enabled using Stage Now/MDM.
- Added support for CCX in Fusion for Data Use Cases. It is not Enabled Out of Box and can be enabled using Stage Now/MDM.
- WPA3 Roam behavior Enhancements in Fusion.
- Added new MX feature to support to programmatically retrieve key states on keyboard enabled devices.
- Added new MX feature to support for Bluetooth_Remote_Trigger feature on All SDM660 devices.
- Added new MX feature to support to control whether the device user is prompted to interact with newly inserted SD Card into the device.
- Added new MX feature to support to automatically turn off Airplane Mode after a length of time as configured in the Airplane Mode Timer parameter.
- Added new MX feature to support to select the subsystem on the device to apply the permission being assigned to an app by the Permission Access Action parameter.
- Added support for querying touch mode and WLAN properties in OEM Info.
- Added support for “meminfo -s” command for Snapshot Module in RxLogger.
- Added support the new Schema changes in OemConfig.
- Added support to transfer Device Ownership from one device to other device owner, feature can be used to transfer StageNow device owner to any other device owner application.
- Added support to enable Battery part number BT-000362-50/BT-000262-A0 in WT6300. This will allow the battery to charge in low temperature (2 deg C and above).

○ Resolved Issues

- SPR 46494 – Fixed issue in Code ID Symbol for GS1 Data Matrix barcodes.
- SPR 45935 – Fixed an intermittent scan failure on the MC2700 with SE4100.
- SPR 45951 – Added Support for additional countries.
- SPR 44971 – Resolved an issue wherein BT Audio gateway codec was not working at 8kHz.
- SPR46370 – Resolved an issue wherein Beep action setting under Advanced data formatting in Data wedge was not getting listed when device language was set to Japanese.
- SPR45464 – Resolved an issue wherein touches/taps around bottom area of the screen was not very responsive on MC33x devices.
- SPR44932 – Resolved an issue wherein battery level wouldn't go up to full level while devices were in charging and were reporting different battery levels.
- SPR 46220 – Resolved an issue wherein intermediate files were being retained along with snoop logs when BT Snoop logging was enabled in Rxlogger.
- SPR 46513 – Resolved an issue wherein Char 13 was not being sent via Send Char ADF option after updating to DW 11.3.28
- SPR 45016 – Resolved an issue wherein disabling status bar via MX was not hiding/blocking the status bar completely when used with full screen Apps.
- SPR 46162 – Resolved an issue wherein user was not able to use USB keyboard when access to USB storage from computer was disabled using MX Access Mgr.
- SPR 46516 – Resolved an issue wherein AudioVolUIMgr settings were not persisting after Enterprise Reset.
- SPR 45657 – Resolved an issue wherein RFID antenna type was not configured correctly resulting in lower regulatory ranges for certain country setting.

- SPR46892 – Resolved an issue wherein devices were randomly getting stuck in password dialog upon reboot after updating from A8 to A11.
- SPR 47012 – Change default state of CCKM to disabled.
- SPR 46530 – Resolved an issue wherein Apps were not getting installed via AppMgr using Upgrade option.

- **Usage Notes**

- Touch Mode system property has changed in A11. Please use the following OEMInfo URI - "content://oem_info/oem.zebra.software/persist.sys.touch_mode"
- TC83 & MC93 DPM SKUs should not be downgraded to A11 BSPs below 11-26-05.00-RG-U00-STD-HEL-04.
 - To identify if the device is having DPM SKU please browse the below location in the settings UI settings->about phone->software components->scanner->SE4750 (DP)
settings->about phone->software components->scanner->SE4750 (DPW)

LifeGuard Update 11-23-13.00-RG-U07

- LifeGuard Update 11-23-13.00-RG-U07 contains security updates only.
- This LG patch is applicable for 11-23-13.00-RG-U01-STD-HEL-04 BSP version.

- **New Features**

- None

- **Resolved Issues**

- None

- **Usage Notes**

- None

LifeGuard Update 11-23-13.00-RG-U01

- LifeGuard Update 11-23-13.00-RG-U01 contains security updates only.
- This LG patch is applicable for 11-23-13.00-RG-U00-STD-HEL-04 BSP version.

- **New Features**

- None

- **Resolved Issues**

- None

- **Usage Notes**

- None

LifeGuard Update 11-23-13.00-RG-U00

- This LG patch is applicable for 11-20-18.00-RG-U02-STD-HEL-04 BSP version.

○ New Features

- Added new Soft Trigger API to start, stop or toggle a software trigger for voice input in DataWedge.
- Deprecated the following Voice Input features in DataWedge:
 - Data capture start option - Start phrase
 - Data capture start phrase
 - Data capture end phrase
- Zebra recommends transitioning to using the PTT button to trigger voice capture.
- Added New Data capture start option in DataWedge to trigger voice capture only via intent API.
- Added new MX feature to support for configuration of the “Power off” menu item on Power Key Menu.
- Added new MX feature which Allow/Disallow switch for controlling whether display and touch panel are turned on/off based on device proximity to a human face during an call.
- Added new MX feature which allows ability to set custom dialer application which provides administrators a systematic way to set a calling application to be used as a default caller.
- Added support for new display ZBR_R47.
- Added support for new touch EXC86H82.
- Added support for RFD40 RFID Sled for TC52AX Rear I/O.

○ Resolved Issues

- SPR44338 – Resolved an issue wherein scanned barcode data was intermittently getting reported incorrectly.
- SPR45265 – Resolved an issue wherein RFID Wedge App was not working on L10 running A10 and above.
- SPR45376 – Resolved an issue wherein trigger button was emitting beam even after it was remapped to a different key.
- SPR45638 – Resolved an issue wherein User was not able to set DTR state using EMDK Application.
- SPR46167 – Resolved an issue wherein device was not connecting back even though it was within range.
- SPR46405 – Resolved an issue wherein user was unable to Unpair the Bluetooth devices using Device Central on devices running with 11-20-18.00-RG-U00-STD-HEL-04 Build.
- SPR46483 - Resolved an issue wherein StageNow My Lifeguard Updates are failing to apply to BSPs 11-20-18 U00 and 11-20-18 U02.

○ Usage Notes

- L10A devices with new display ZBR_R47 and touch EXC86H82 cannot be downgraded to BSPs below 11-20-18.00-RG-U00-STD-HEL-04.

To identify display type, users can check ‘ro.config.device.display’ property using getprop command from adb.

- Devices with new display ZBR_R47 will have [ro.config.device.display]: [513]
- Devices with display EP101R1912N1000TG will have [ro.config.device.display]: [2001]

To identify touch type, users can check 'ro.config.device.touch' property using getprop command from adb.

- Devices with new touch EXC86H82 will have [ro.config.device.touch]: [32770]
- Devices with touch EXC3161 will have [ro.config.device.touch]: [32768]

LifeGuard Update 11-20-18.00-RG-U02

- LifeGuard Update 02 contains security updates only.
- This LG patch is applicable for 11-20-18.00-RG-U00-STD-HEL-04 BSP version.

- **New Features**

- None

- **Resolved Issues**

- None

- **Usage Notes**

- None

LifeGuard Update 11-20-18.00-RG-U00

- This LG patch is applicable for 11-20-18.00-RG-U00-STD-HEL-04 BSP version.

- **New Features**

- Added support for Friendly Zebra Scanner Interface for seamless support of Zebra Bluetooth and USB Scanners via Scan Framework & Datawedge.
- Added Mobility DNA OCR Wedge v1 Early Access (Camera Only) family of licensed configurations.
 - Tire Identification Number (TIN)
 - Identification Documents (ID)
 - License Plate
 - Meter Reading
 - Vehicle Identification Number (VIN)
- Added Datawedge support for Free-Form Image Capture (Camera/Imager)
- Added Datawedge support for Barcode Highlighting (Camera/Imager)
- Added support for Multi-Barcode – Minimum count & timeout duration to support decoding a changing number of barcodes.
- Added Datawedge support for Scan QR Code to Launch a Link.
- Added Datawedge Support for handling notifications for license updates (Activate & Deactivate). Third party agent will be notified immediately when the license status gets changed.
- SE5500 GA Release
- Added new MX feature to give admin complete control over the quick settings tiles.
- Added new MX feature for Battery Saver and Vibration Control.
- Added new MX feature for Dark Theme ON/OFF option.
- Added support for Signing Key Change to Support App Bundles.

- Added support for interface check before doing G-ARP.
- Added support for Save and restore to preserve the previous setting performed by KTI APIs.
- Added support for improved noise reduction on phones calls using Bluetooth connection
- Added support for pause and resume feature in FOTA client.
- Added support for LGE 3.0 A/B Streaming.
- Added support for Persist MDNA Enterprise Upgrade License.
- Updated the new launcher icon and splash screen for VOD app and fixed an issue related to Back button which was opening and displaying the videos even after pressing back button to exit the application.
- Added support for BMI270/ICM42607 Gyroscope/accelerometer Sensors.
- This release support TC52ax HC product.

o Resolved Issues

- SPR45099 – Resolved an issue wherein the check digit rule was not working as expected on MSI barcode symbology with newer ZBACK scanner
- SPR45159 – Resolved an issue wherein DisAllowApplicationUpgrade was leading to Apps getting crashed.
- SPR44942 – Merged additional touch configurations to handle different touch configurations.
- SPR44618 and SPR44765 – Resolved an issue wherein Audio was intermittently getting routed via device mic instead of BT headset.
- SPR44619 – Fixed an issue of Ghost screen touches.
- SPR44265 – Fixed an issue of BT showing incorrect battery usage in bug report.
- SPR44833 – Fixed an issue of 'EthernetMgr' manual proxy config not working.
- Fixed Zebra Pay PD20 timer issue
- Fixed Settings ANR issues
- Fixed RxLogger EOF issue
- Fixed WPA3-SAE compatibility with CISCO AP
- Fixed Voice quality and Stability enhancement

o Usage Notes

- BMI270/ICM42607 Gyroscope/accelerometer sensor devices require 11-20-18.00-RG-U00-STD or higher to ensure full G-sensor functionality.
- The installed Gyroscope/Accelerometer sensors can be identified either in SETTINGS or via ADB command:

Settings:

- a. Devices with BMI270/ ICM42607 Gyroscope/accelerometer sensor will list sensor type as BMI270/ ICM42607 on "Settings-->About phone-->SW components-->Gyroscope" or "Settings-->About phone-->SW components -->Accelerometer".

ADB:

Check the ro.config.device.gyro & ro.config.device.accelerometer property using getprop command from adb.

- a. Devices with BMI270 Gyroscope/accelerometer sensor will have ro.config.device.gyro = 32 ro.config.device.accelerometer=120
- b. Devices with ICM42607 Gyroscope/accelerometer sensor will have ro.config.device.gyro = 260 ro.config.device.accelerometer=2052

Version Information

Below Table contains important information on versions

Description	Version
Product Build Number	11-29-18.00-RG-U00-STD-HEL-04
Android Version	11
Security Patch level	November 05, 2022
Component Versions	Please see Component Versions under Addendum section

Device Support

The products supported in this release are CC600, CC6000, EC30, EC50, EC55, ET51, ET56, L10A, MC2200, MC2700, MC3300x, MC3300xR, MC9300, PS20, TC21, TC21 HC, TC26, TC26 HC, TC52, TC52 HC, TC52x, TC52x HC, TC57, TC57x, TC72, TC77, TC8300, VC8300 & WT6300 family of products.

Please see device compatibility details under Addendum Section.

Known Constraints

- In-order to avoid any inconsistencies in Settings UI it is recommended to wait for a few seconds after the device boots up before launching settings UI.
- On upgrading a device from A8/A9/A10 to A11, NFC manager configuration need to be re-applied.
- Starting Android 11 on SDM660, an UPL file cannot consist of both Full OTA and Delta OTA package. On A11 customer can directly install the Full OTA package of required LG image
- One second Bluetooth jitter noticed in 2.4GHz band.
- Ethernet UI is accessible from settings despite being disabled
- RxLogger fails to store logs in internal storage when external SDCard is formatted as internal/adaptable, or it is ejected during run time.
- BLE FW update will not work without enabling location service under settings.
- When working with files on the Desktop, using mouse-drag to select, move and/or copy files causes some file management apps to crash. Zebra recommends using right-click copy and paste functions instead.
- “Always-ON VPN” is grayed out for IKEv2-RSA/PSK/MSCHAPv2 after a reboot. User will have to manually select ‘VPN on’ to activate the VPN.

Important Links

- [Installation and setup instructions](#) (if the link does not work, please copy it to browser and try)
- [Zebra Techdocs](#)
- [Developer Portal](#)

Addendum

Device Compatibility

This software release has been approved for use on the following devices.

Device Family	Part Number		Device Specific Manuals and Guides
CC600	CC600-5-3200LNNA CC600-5-3200LNWW	CC600-5-3200LNIN	CC600 Home Page
CC6000	CC6000-10-3200LCWW CC6000-10-3200PCWW CC6000-10-3200LCNA CC6000-10-320NLCNA	CC6000-10-3200PCNA CC6000-10-3200LNNA CC6000-10-320NLCWW	CC6000 Home Page
EC30	EC300K-1SA2ANA EC300K-1SA2AA6 EC300K-1SA2AIA	KT-EC300K-1SA2BNA-10 KT-EC300K-1SA2BA6-10	EC30 Home Page
EC50	EC500K-01B132-NA EC500K-01B242-NA EC500K-01B243-NA EC500K-01D141-NA EC500K-01B112-NA EC500K-01B222-NA EC500K-01B223-NA EC500K-01D121-NA EC500K-01B112-IA EC500K-01B112-RU EC500K-01B112-TR EC500K-01B112-XP EC500K-01D121-IA EC500K-01D121-RU	EC500K-01B243-A6 EC500K-01D141-A6 EC500K-01B132-A6 EC500K-01B242-A6 EC500K-01B112-A6 EC500K-01B222-A6 EC500K-01B223-A6 EC500K-01D121-A6 EC500K-01B223-IA EC500K-01B223-RU EC500K-01B223-TR EC500K-01B223-XP EC500K-01D121-TR EC500K-01D121-XP	EC50 Home Page
EC55	EC55AK-01B112-NA EC55AK-11B112-NA EC55AK-11B132-NA EC55AK-21B222-NA EC55AK-21B223-NA EC55AK-21B242-NA EC55AK-21B243-NA EC55AK-21D121-NA EC55AK-21D141-NA EC55AK-21D221-NA EC55BK-01B112-A6	EC55BK-11B223-A6 EC55BK-21B222-A6 EC55BK-21B223-A6 EC55BK-21B223-BR EC55BK-21B223-IA EC55BK-21B223-ID EC55BK-21B223-XP EC55BK-21B242-A6 EC55BK-21B243-A6 EC55BK-21D121-A6 EC55BK-21D121-BR	EC55 Home Page

	<p>EC55BK-11B112-A6 EC55BK-11B112-BR EC55BK-11B112-IA EC55BK-11B112-ID EC55BK-11B112-XP EC55BK-11B132-A6 EC55BK-21D121-RU</p>	<p>EC55BK-21D121-IA EC55BK-21D121-ID EC55BK-21D121-XP EC55BK-21D141-A6 EC55BK-11b112-RU EC55BK-21B223-RU</p>	
ET51	<p>ET51CT-G21E-00A6 ET51CT-G21E-00NA ET51CE-G21E-00NA ET51CE-G21E-00A6</p>	<p>ET51CE-G21E-00IA ET51CE-G21E-SFA6 ET51CE-G21E-SFNA</p>	ET51 Home Page
ET56	<p>ET56DT-G21E-00NA ET56ET-G21E-00A6 ET56ET-G21E-00IA</p>	<p>ET56DE-G21E-00A6 ET56DE-G21E-00NA</p>	ET56 Home Page
L10A	<p>RTL10B1-xxxxxxxxxNA (North America) RTL10B1-xxAxxX0x00A6 (ROW) Note: 'x' Stands for wild card for different configurations</p>	<p>RTL10B1-xxAxxX0x00IN (India)</p>	L10A Home Page
MC2200	<p>MC220K-2A3S3RW MC220K-2A3E3NA01 MC220K-2A3E3IN01 MC220K-2A3E3RW01 MC220K-2B3E3RW MC220K-2B3S3RW MC220K-2B3S3NA MC220K-2B3S3IN MC220K-2B3S3RU MC220K-2B3S3TR</p>	<p>MC220K-2B3S3XP MC220K-2A3S3RU MC220J-2A3S2RW MC220J-2A3S2NA MC220J-2A3S2IN MC220J-2A3S2XP MC220J-2A3S2RU MC220J-2A3E2RU MC220J-2A3S2TR</p>	MC2200 Home Page
MC2700	<p>MC27AK-2B3S3NA MC27AK-4B3S3NA MC27BJ-2A3S2ID MC27BJ-2A3S2IN MC27BJ-2A3S2RW MC27BJ-2A3S2XP MC27BK-2B3S3ID MC27BK-2B3S3IN</p>	<p>MC27BK-2B3S3RW MC27BK-2B3S3XP MC27BK-4B3S3RW MC27BJ-2A3S2TR MC27BK-2B3S3TR MC27AJ-2A3S2NA</p>	MC2700 Home Page
MC3300x	<p>MC330L-GE2EG4NA MC330L-GE2EG4RW MC330L-GE3EG4IN MC330L-GE3EG4NA MC330L-GE3EG4RW MC330L-GE4EG4IN MC330L-GE4EG4NA MC330L-GE4EG4RW MC330L-GJ2EG4NA</p>	<p>MC330L-SC2EG4NA MC330L-SC2EG4RW MC330L-SC3EG4NA MC330L-SC3EG4RW MC330L-SC4EG4NA MC330L-SC4EG4RW MC330L-SE2EG4NA MC330L-SE2EG4RW MC330L-SE3EG4NA</p>	MC3300x Home Page

	<p>MC330L-GJ2EG4RW MC330L-GJ3EG4IN MC330L-GJ3EG4NA MC330L-GJ3EG4RW MC330L-GJ4EG4IN MC330L-GJ4EG4NA MC330L-GJ4EG4RW MC330L-GL2EG4NA MC330L-GL2EG4RW MC330L-GL3EG4IN MC330L-GL3EG4NA MC330L-GL3EG4RW MC330L-GL4EG4IN MC330L-GL4EG4NA MC330L-GL4EG4RW MC330L-RC2EG4NA MC330L-RC2EG4RW MC330L-RC3EG4NA MC330L-RC3EG4RW MC330L-RC4EG4NA MC330L-RC4EG4RW MC330L-RL2EG4NA MC330L-RL2EG4RW MC330L-RL3EG4NA MC330L-RL3EG4RW MC330L-RL4EG4NA MC330L-RL4EG4RW MC330L-SA2EG4NA MC330L-SA2EG4RW MC330L-SA3EG4IN MC330L-SA3EG4NA MC330L-SA3EG4RW MC330L-SA3EG4TR MC330L-SA4EG4IN MC330L-SA4EG4NA MC330L-SA4EG4RW MC330L-SA4EG4TR</p>	<p>MC330L-SE3EG4RW MC330L-SE4EG4NA MC330L-SE4EG4RW MC330L-SG2EG4NA MC330L-SG2EG4RW MC330L-SG3EG4IN MC330L-SG3EG4NA MC330L-SG3EG4RW MC330L-SG3EG4TR MC330L-SG4EG4NA MC330L-SG4EG4RW MC330L-SG4EG4TR MC330L-SJ2EG4NA MC330L-SJ2EG4RW MC330L-SJ3EG4IN MC330L-SJ3EG4NA MC330L-SJ3EG4RW MC330L-SJ4EG4IN MC330L-SJ4EG4NA MC330L-SJ4EG4RW MC330L-SK2EG4NA MC330L-SK2EG4RW MC330L-SK3EG4NA MC330L-SK3EG4RW MC330L-SK4EG4NA MC330L-SK4EG4RW MC330L-SL2EG4NA MC330L-SL2EG4RW MC330L-SL3EG4NA MC330L-SL3EG4RW MC330L-SL4EG4NA MC330L-SL4EG4RW MC330L-SM2EG4NA MC330L-SM2EG4RW MC330L-SM3EG4NA MC330L-SM3EG4RW MC330L-SM4EG4NA MC330L-SM4EG4RW</p>	
MC3300xR	<p>MC333U-GJ2EG4EU MC333U-GJ2EG4IL MC333U-GJ2EG4JP MC333U-GJ2EG4US MC333U-GJ3EG4EU MC333U-GJ3EG4US MC333U-GJ4EG4EU MC333U-GJ4EG4IN MC333U-GJ4EG4JP MC333U-GJ4EG4SL MC333U-GJ4EG4TH MC333U-GJ4EG4US MC333U-GJ4EG4WR MC339U-GE2EG4EU MC339U-GE2EG4JP</p>	<p>MC339U-GE3EG4US MC339U-GE4EG4EU MC339U-GE4EG4IN MC339U-GE4EG4JP MC339U-GE4EG4TH MC339U-GE4EG4US MC339U-GE4EG4WR MC339U-GF2EG4EU MC339U-GF2EG4US MC339U-GF3EG4EU MC339U-GF3EG4TH MC339U-GF3EG4US MC339U-GF4EG4EU MC339U-GF4EG4SL MC339U-GF4EG4TH</p>	<p>MC3300xR Home Page</p>

	MC339U-GE2EG4US MC339U-GE2EG4WR MC339U-GE3EG4EU	MC339U-GF4EG4US MC339U-GF4EG4WR	
MC93	MC930B-GSXXG4XX MC930P-GSXXG4XX MC930P-GFXXG4XX Note: 'x' Stands for wild card for different configurations	MC930B-GSXXG4NA-XX MC930P-GSXXG4NA-XX	MC9300 Home Page
PS20	PS20J-P4G1A600 PS20J- P4G1A600-10 PS20J- B2G1A600 PS20J- B2G1A600-10 PS20J- P4H1A600 PS20J- P4H1A600-10 PS20J- B2G2CN00 PS20J- P4H2CN00	PS20J-P4G2CN00 PS20J- P4G1NA00 PS20J- P4G1NA00-10 PS20J- B2G1NA00 PS20J- B2G1NA00-10 PS20J- P4H1NA00 PS20J- P4H1NA00-10	PS20 Home Page
TC21	TC210K-01A222-A6 TC210K-01A242-A6 TC210K-01D221-A6 TC210K-01D241-A6 TC210K-01B212-A6 TC210K-01B232-A6 TC210K-01A422-A6 TC210K-01A442-A6 TC210K-0HD224-A6 TC210K-0HB224-A6 TC210K-0HB222-A6 TC210K-01A423-A6 TC210K-0JB224-A6 TC210K-01B422-NA TC210K-01A222-NA TC210K-01D221-NA TC210K-01D241-NA TC210K-0JD224-NA TC210K-0JB224-NA TC210K-01A242-NA TC210K-01A442-NA	TC210K-01A423-NA TC210K-0HD224-NA TC210K-0HB224-NA TC210K-0HB222-NA TC210K-01A422-NA TC210K-0HB224-IA TC210K-01A222-IA TC210K-01A242-IA TC210K-01A442-IA TC210K-01A422-IA TC210K-01B212-IA TC210K-01B232-IA TC210K-01A423-IA TC210K-01B232-TR TC210K-01B212-TR TC210K-01D221-TR TC210K-01D241-TR TC210K-0HD224-FT TC210K-01B212-XP TC210K-01B212-NA TC210K-01B232-NA TC210K-01A222-A6P TC210K-01A422-A6P TC210K-01A423-A6P TC210K-01A423-NAP	TC21 Home Page
TC21 HC	TC210K-0HD224-NA KT-TC210K-0HD224-FT TC210K-0HD224-A6 TC210K-0HB224-A6 TC210K-0JB224-A6 TC210K-0JD224-NA TC210K-0JB224-NA	KT-TC210K-0HB224- PTTP1-A6 KT-TC210K-0HB224- PTTP2-A6 KT-TC210K-0HD224-WFC1- NA	TC21 Home Page

	TC210K-0HB224-NA TC210K-0HB222-NA TC210K-0HB224-IA TC210K-0HB222-NA KT-TC210K-0HD224-PTTP1-NA KT-TC210K-0HD224-PTTP2-NA KT-TC210K-0HD224-PTTP1-FT KT-TC210K-0HD224-PTTP2-FT KT-TC210K-0HD224-PTTP1-A6 KT-TC210K-0HD224-PTTP2-A6	KT-TC210K-0HD224-WFC2-NA KT-TC210K-0HD224-WFC1-FT KT-TC210K-0HD224-WFC2-FT KT-TC210K-0HD224-WFC1-A6 KT-TC210K-0HD224-WFC2-A6 KT-TC210K-0HB224-WFC1-A6 KT-TC210K-0HB224-WFC2-A6 TC210K-0JB224-A6P TC210K-0JB224-NAP	
TC26	TC26BK-11A222-A6 TC26BK-11A242-A6 TC26BK-11A422-A6 TC26BK-11A423-A6 TC26BK-11A442-A6 TC26BK-11B212-A6 TC26BK-11B232-A6 TC26BK-11B412-A6 TC26BK-11D221-A6 TC26BK-11D241-A6 TC26BK-11D421-A6 TC26BK-21D221-A6 TC26BK-21A222-A6 TC26BK-1HB224-A6 TC26BK-1HD224-A6 TC26BK-1JB224-A6 TC26BK-21A442-A6 TC26AK-11A222-NA TC26AK-11A242-NA TC26AK-11A422-NA TC26AK-11A423-NA TC26AK-11B212-NA TC26AK-11B232-NA TC26AK-11D221-NA TC26AK-11D241-NA TC26AK-1HB222-NA TC26AK-1HB224-NA TC26AK-1HD224-NA TC26AK-1JD224-NA	TC26AK-11A442-NA TC26BK-11A222-IA TC26BK-11A242-IA TC26BK-11A442-IA TC26BK-11B212-IA TC26BK-11B232-IA TC26BK-21A222-IA TC26BK-1HB224-IA TC26BK-11D221-IA TC26BK-11A222-BR TC26BK-11A242-BR TC26BK-11A422-BR TC26BK-11A423-BR TC26BK-11A442-BR TC26BK-11B212-BR TC26BK-11B232-BR TC26BK-11D221-BR TC26BK-11D241-BR TC26BK-1HB224-BR TC26DK-11B212-TR TC26DK-11B232-TR TC26BK-11B212-TR TC26BK-11B232-TR TC26BK-11B212-ID TC26BK-11A222-ID TC26BK-11B212-XP TC26AK-1HD224-FT TC26AK-21A222-NA TC26AK-1JB224-NA TC26BK-11A222-A6P TC26BK-11A422-A6P TC26BK-11A423-A6P TC26BK-21A422-A6P TC26AK-11A423-NAP TC26EK-21A222-NAP TC26DK-11A422-IDP	TC26 Home Page

TC26 HC	TC26BK-1HD224-A6 TC26BK-1HB224-A6 TC26BK-1HB224-BR TC26AK-1HD222-NA TC26BK-1HB224-IA TC26AK-1JB224-NA TC26BK-1JB224-A6 TC26AK-1HD224-NA TC26AK-1HB224-NA KT-TC26AK-1HD224-FT TC26AK-1HB222-NA TC26AK-1JD224-NA KT-TC26BK-1HD224-PTTP1-A6 KT-TC26BK-1HD224-PTTP2-A6 KT-TC26BK-1HB224-PTTP1-A6 KT-TC26BK-1HB224-PTTP2-A6 KT-TC26AK-1HD224-PTTP1-NA	KT-TC26AK-1HD224-PTTP2-NA KT-TC26AK-1HD224-PTTP1-FT KT-TC26AK-1HD224-PTTP2-FT KT-TC26AK-1HD224-WFC1-NA KT-TC26AK-1HD224-WFC2-NA KT-TC26AK-1HD224-WFC1-FT KT-TC26AK-1HD224-WFC2-FT KT-TC26BK-1HD224-WFC1-A6 KT-TC26BK-1HD224-WFC2-A6 KT-TC26BK-1HB224-WFC1-A6 KT-TC26BK-1HB224-WFC2-A6 TC26BK-1JB224-A6P TC26AK-1JB224-NAP	TC26 Home Page
TC52	TC520K-1PEZU4P-A6 TC520K-1PEZU4P-NA	TC520K-1PEZU4P-IA TC520K-1PEZU4P-FT	TC52 Home Page
TC52 – AR1337 Camera	TC520K-1PFZU4P-A6	TC520K-1PFZU4P-NA	TC52 Home Page
TC52 HC	TC520K-1HEZU4P-NA TC520K-1HEZU4P-EA TC520K-1HEZU4P-A6 TC520K-1HEZU4P-FT TC520K-1HEZU4P-IA KT-TC520K-1HCMH6P-PTT1-NA KT-TC520K-1HCMH6P-PTT2-NA KT-TC520K-1HCMH6P-PTT1-FT KT-TC520K-1HCMH6P-PTT2-FT KT-TC520K-1HCMH6P-PTT1-A6 KT-TC520K-1HCMH6P-PTT2-A6	KT-TC520K-1HEZU4P-PTT1-FT KT-TC520K-1HEZU4P-PTT2-FT KT-TC520K-1HEZU4P-PTT1-A6 KT-TC520K-1HEZU4P-PTT2-A6 KT-TC520K-1HEZU4P-WFC1-NA KT-TC520K-1HEZU4P-WFC2-NA KT-TC520K-1HEZU4P-WFC1-FT KT-TC520K-1HEZU4P-WFC2-FT	TC52 HC Home Page

	KT-TC520K-1HEZU4P-PTT1-NA KT-TC520K-1HEZU4P-PTT2-NA	KT-TC520K-1HEZU4P-WFC1-A6 KT-TC520K-1HEZU4P-WFC2-A6 KT-TC52-1HEZWFC1-NA	
TC52x	TC520K-1XFMU6P-NA TC520K-1XFMU6P-A6 TC520K-1XFMU6P-TK	TC520K-1XFMU6P-FT TC520K-1XFMU6P-IA	TC52x Home Page
TC52x HC	TC520K-1HCMH6P-NA TC520K-1HCMH6P-FT TC520K-1HCMH6P-A6 TC520K-1HCMH6P-PTTP1-NA TC520K-1HCMH6P-PTTP2-NA TC520K-1HCMH6P-PTTP1-FT TC520K-1HCMH6P-PTTP2-FT TC520K-1HCMH6P-PTTP1-A6	TC520K-1HCMH6P-PTTP2-A6 TC520K-1HCMH6P-WFC1-NA TC520K-1HCMH6P-WFC2-NA TC520K-1HCMH6P-WFC1-FT TC520K-1HCMH6P-WFC2-FT TC520K-1HCMH6P-WFC1-A6 TC520K-1HCMH6P-WFC2-A6 KT-TC52X-1HCMWFC1-NA	TC52x Home Page
TC57	TC57HO-1PEZU4P-A6 TC57HO-1PEZU4P-IA TC57HO-1PEZU4P-NA TC57HO-1PEZU4P-XP	TC57HO-1PEZU4P-BR TC57HO-1PEZU4P-ID TC57HO-1PEZU4P-FT TC57HO-1PEZU4P-SKT	TC57 Home Page
TC57 – AR1337 Camera	TC57HO-1PFZU4P-A6	TC57HO-1PFZU4P-NA	TC57 Home Page
TC57x	TC57HO-1XFMU6P-A6 TC57HO-1XFMU6P-BR TC57HO-1XFMU6P-IA TC57HO-1XFMU6P-FT	TC57HO-1XFMU6P-ID TC57JO-1XFMU6P-TK TC57HO-1XFMU6P-NA TC57HO-1XFMU6P-RU	TC57X Home Page
TC72	TC720L-0ME24B0-A6 TC720L-0ME24B0-NA TC720L-0ME24B0-BR TC720L-0ME24B0-IA TC720L-1ME24B0-A6 TC720L-1ME24B0-NA	TC720L-0ME24B0-TN TC720L-0ME24B0-FT TC720L-0MJ24B0-A6 TC720L-0MJ24B0-NA	TC72 Home Page
TC72 – AR1337 Camera	TC720L-0MK24B0-A6 TC720L-0MK24B0-NA	TC720L-0ML24B0-A6 TC720L-0ML24B0-NA	TC72 Home Page
TC77	TC77HL-5ME24BG-A6 TC77HL-5ME24BD-IA	TC77HL-5MG24BG-EA TC77HL-6ME34BG-A6 TC77HL-5ME24BD-BR	TC77 Home Page

	TC77HL-5ME24BG-FT (FIPS_SKU) TC77HL-7MJ24BG-A6 TC77HL-5ME24BD-ID TC77HL-5ME24BG-EA TC77HL-5ME24BG-NA TC77HL-7ME24BG-NA TC77HL-7ML24BG-A6	TC77HL-5MJ24BG-A6 TC77HL-5MJ24BG-NA TC77HL-7MJ24BG-NA TC77HL-5MG24BG-A6 TC77HL-5ME24BD-TN TC77HL-7ME24BG-A6	
TC77 – AR1337 Camera	TC77HL-5MK24BG-A6 TC77HL-5MK24BG-NA	TC77HL-5ML24BG-A6 TC77HL-5ML24BG-NA	TC77 Home Page
TC8300	TC83B0-x005A510NA TC83B0-x005A61CNA TC83BH-x205A710NA TC83B0-x005A510RW TC83B0-x005A61CRW TC83BH-x205A710RW TC83B0-x005A510IN TC83B0-x005A61CIN TC83BH-x205A710IN TC83BH-x206A710NA Note: 'x' Stands for wild card for different configurations	TC83BH-x206A710RW TC83B0-4005A610NA TC83B0-4005A610RW TC83B0-4005A610IN TC83B0-5005A610NA TC83B0-5005A610RW TC83B0-5005A610IN TC83B0-5005A610IN TC83B0-x005A510TA TC83BH-x205A710TA	TC8300 Home Page
VC8300 8"	VC83-08FOCABAABA-I VC83-08FOCQBAABA-I VC83-08FOCQBAABANA VC83-08SOCABAABA-I	VC83-08SOCQBAABA-I VC83-08SOCQBAABANA VC83-08SOCQBAABAIN	VC8300 Home Page
VC8300 10"	VC83-10SSCNBAABANA VC83-10SSCNBAABA-I	VC83-10SSCNBAABATR	
WT6300	WT63B0-TS0QNERW WT63B0-TS0QNENA WT63B0-TS0QNE01 WT63B0-TX0QNERW WT63B0-TX0QNENA	WT63B0-KS0QNERW WT63B0-KS0QNENA WT63B0-KX0QNERW WT63B0-KX0QNENA WT63B0-TS0QNETR	WT6300 Home Page

Component Versions

Component / Description	Version
Linux Kernel	4.19.157-perf
AnalyticsMgr	10.0.0.1002
Android SDK Level	30

Audio (Microphone and Speaker)	0.31.0.0
Battery Manager	1.3.1
Bluetooth Pairing Utility	3.26
Camera	2.0.002
DataWedge	11.4.36
EMDK	11.0.133.4033
Files	r_aml_301501600
License Manager and License agent	6.0.11 and 6.0.23.5.0.1
MXMF	11.6.0.17
NFC	NFC_NCIHALx_AR18C0.b.1.0
OEM info	9.0.0.785
OSX	QCT.110.11.15.32
RXlogger	7.0.3.6
ZWC	1.3.51
Scanning Framework	36.7.4.0
StageNow	11.6.0.18
WiFi6	FUSION_SA_2_1.11.0.0.015_R Radio: SA_2_1.11.0.0.014_R Application: SA_2_1.11.0.0.005_R Middleware: SA_2_1.11.0.0.009_R SupPLICant: SA_2_1.11.0.0.004_R Firmware: 18.35.387.23.1308.7
WiFi5	FUSION_QA_2_1.11.0.0.012_R Radio: QA_2_1.11.0.0.008_R Application: QA_2_1.11.0.0.004_R Middleware: QA_2_1.11.0.0.006_R SupPLICant: QA_2_1.11.0.0.001_R Firmware: FW:3.3.5.1.1003.0 HW:HW_VERSION=40050000.
WorryFree WiFi	WA_A_2_7.4.0.020_R
Zebra Bluetooth	11.3.0

Zebra Volume Control	3.0.0.76
Touch FW	2.2.0-Finger-1-0:0*6e29bd Mode: Finger Only
Zebra Device Manager (StageNow)	11.6.0.18
Zebra Data Service	10.0.4.1224
Zebra Software License Manager	6.0.13
Embedded Controller Firmware	VC8300 8"/10": 3.3.01

Revision History

Rev	Description	Date
1.0	Initial release	November 30, 2022